


The McMahon House

CSU San Marcos
The McMahon House









SSPCo[®]

Soil Stabilization Products Company, Inc.

www.sspco.com

PO Box 2779, Merced, CA 95344-0779 Phone: (800) 523-9992 or (209) 383-3296 Fax: (209) 383-7849
Email: info@sspco.com

Beware of Imitations

Many cold applied products are sold for binding of aggregate under the titles of stabilized aggregate or stabilized decomposed granite (dg). Other products recently introduced now describe themselves as resin pavements, or mimic the NaturalPAVE[®] registered trademark and describe themselves as natural pavement or natural resin pavement. Having limited bonding strength, these erodible mixtures are marketed without providing pavement performance testing information. Not surprisingly, the end-user is often disappointed by the rapid deterioration of their installation. Specifiers, installation contractors, and project owners should request and review pavement material testing information prior to selecting products for pavement installations.

NaturalPAVE[®] XL Resin Pavement[™], similar to hot mix asphalt, is a surface course pavement material that is reliant on the workmanship of the pavement contractor during placement operations and on the strength and stability of the base course and underlying layers upon which it is constructed. SSPCo is a supplier of pavement materials only and not a contractor, engineer, installer, or construction inspector.

This publication is intended for use by professional personnel who are competent to evaluate the significance and limitations of the information provided. It was reviewed carefully prior to publication. Final determination of the suitability of any information or material for the use contemplated, or for its manner of use, is the sole responsibility of the user.